

ACRO BUILDING SYSTEMS



America's Fastest Growing Supplier of Roofing Construction Tools and Equipment



Made in the USA



Page 6



Page 4



Page 8



Phone: 800-267-3807

Phone: 414-445-8787

Fax: 414-445-8792

E-mail:

info@AcroBuildingSystems.com

Page 5



Page 8



www.AcroBuildingSystems.com

ACRO BUILDING SYSTEMS



Acro Building Systems, a division of Acro Metal Stamping Company, is America's fastest growing supplier of tools and equipment for the roofing construction industry. Our focus is on supplying our customers with high quality, innovative, OSHA compliant safety products. Excellent customer service has helped us become a leading supplier for both commercial and residential roofing construction across the United States and Canada. Our professional sales representatives, along with our friendly and knowledgeable home office staff are happy to answer questions and address your concerns. We want to make purchasing Acro Building Products an easy, time saving experience.

Let us help ensure safety, cost effectiveness, and efficiency on your next project!

Fixed Roof Brackets.	Page 3
Adjustable Roof Brackets.	Page 4
Safety Guardrail Systems.	Page 5
Guardrail/Warning Line Systems	Page 6
Wall Scaffold Systems.	Page 7
Ladder Accessories	Page 8
Chicken Ladders, Hoisting Wheels and Wheel Barrows	Page 9
Asphalt Tools	Page 10
Long-Handled Tools.	Page 11

**For current pricing,
please visit our Web site at
WWW.ACROBUILDINGSYSTEMS.COM**





**16"
Home
Owner
Bracket**

Fixed Roof Brackets

- Use with various pitches and plank sizes
- Four offset nail slots (OSHA requires three) that will not allow the bracket to slide up
- Six long welds for strength
- Back-stiffening rib to eliminate twisting and flexing
- Smooth edges and rounded corners that will not cut hands or work area
- Welded gusset to prevent wear and tear (19" bracket only)
- Easy to set up, operate, reposition, and remove without causing shingle damage
- Powder-coated safety yellow
- Full 19" back keeps plank out of work area and squared heel for hammer

16" Regular Roof Brackets			
Model #	Length	Degree	Plank Size
16456	16"	45°	2x6"
16606	16"	60°	2x6"
16904	16"	90°	2x4"
16906	16"	90°	2x6"

19" Contractor Roof Bracket			
Model #	Length	Degree	Plank Size
19904	19"	90°	2x4"
19606	19"	60°	2x6"
19608	19"	60°	2x8"
19601	19"	60°	2x10"
19456	19"	45°	2x6"
19458	19"	45°	2x8"
19901	19"	90°	2x10"
19906	19"	90°	2x6"
19908	19"	90°	2x8"

19" Contractor Bracket
OUR BEST SELLER!


#1 Full 19" Back Keeps Plank Out of Work

#2 Four Nail Slots for Safety

#3 Rib Stiffens to Prevent Twisting

#4 Welded Support Gusset Holds Shape

#5 Squared Heel for Hammer



Adjustable Roof Bracket #19038

- User-friendly adjustable roof bracket adjusts to 33°, 45°, 60°, and 90° angles to fit multiple pitches
- Can be used with 2"x6", 2"x8", or 2"x10" planks
- Can also be used with 2"x12": planks at 33° or 45°
- Features a nail hole in step to secure the plank, four long slots for added safety and convenience, a rib in the stem to eliminate flexing and a flat heel.
- Can be used as a standard residential roof bracket or for commercial application as a slide guide.
- Folds flat for compact storage
- Complies with OSHA regulations
- Powder coated safety yellow



Adjustable Galvanized Roof Bracket #19600 Slaters Bracket

- Heavy-duty roof bracket adjusts and locks in six positions
- Accommodates roof pitches from 3/12 to 10/12
- Galvanized steel construction for extra strength, safety, and durability
- Easy to set up, operate, reposition, and remove without damaging shingles
- Folds flat for compact storage and transport
- Locking pin assures safety
- Complies with OSHA regulations



Offset Roof Bracket #19700

- Johnny Jack's patent pending design provides a better platform for staging materials on steep slope roofing installations
- Designed to stage materials on architectural roofing including the new metal shingles, slate, tile or asphalt while never covering the anchor screws
- Features a 5½" surface clearance
- Ideal for working around dormers
- Operational Dimensions 7' x 1' (folds to 48")
- Powder coated safety yellow
- Spans 6½ ft.



Flat Roof Guard Rail System #12060

- Capable of multiple applications including flat roofs, metal roofs, parapets, skylights, stairwells, and rake edges on steep pitched roofs
- Plate can be nailed, bolted or welded to virtually any mounting service; and if necessary left permanently
- System comes complete with all three parts (individual components available as well)
- The Connector (part #12022) features a key lock button
- Maximum spacing 8' apart
- Complies with OSHA regulations
- Powder coated safety yellow




Vertical Guardrail System #12045

- Capable of multiple applications including metal roofs, parapets, skylights and stairwells
- Bracket can be screwed or bolted to virtually any vertical surface
- Maximum spacing 8' apart
- Complies with OSHA regulations
- Powder coated safety yellow



Parapet Wall Guardrail System #12090 for Commercial Roofs

- Easily installed by one person without ladders or scaffolds from inside of parapet
- Parapet bracket weighs only 19lbs. fully assembled
- Guardrail post is always on inside of parapet wall to meet OSHA height regulations throughout its use
- Individual units can be moved without complete disassembly of units and guardrail posts
- Adjusts to wall width 4" to 24" -thumb screw tightened
- Now guard post is height adjustable to keep off the working surface
- Maximum spacing 8' apart
- Tested in a lab to comply with OSHA regulations
- Powder coated safety yellow



Residential Guardrail System #12070 & #12075 TWO BRACKETS; ONE SOLUTION

- #12070 For Eave Edge & #12075 for rake edge
- Installs and removes like roof brackets
- Interleaves with shingles
- Works on any pitch up to 16/12
- Tested in a lab to meet OSHA's 2011 regulations
- Maximum spacing 8" apart
- Can be used in all phases of construction
- Powder coated safety yellow




All Guardrail Systems Use the Same Interchangeable Post

- Posts are Available Separately #12055
- Bases Only are available on All Systems (ie. #12045b, #12070b, #12090b, etc.)
- Mix and Match for Any Environment and Save

Utility Bracket #20100

- All-purpose 2x4 holder
- Create guardrail or warning lines
- Fits inside or outside of openings
- Powder coated safety yellow



WALL SCAFFOLD SYSTEMS , WARNING LINE SYSTEMS


Wall Scaffold Bracket #12048

- Complies with OSHA regulations
- Optional Over the Plate Hanger (#12022)
- Creates safety perimeters on new construction
- Installs on all 4 sides or use End Fence Guardrail
- 42" Guardrail Posts
- Ideal for truss installation
- Optional Guardrail adapter and post (12056) for fall protection




End Fence Guardrail #10140

- Prevents workers from walking off end of scaffolding
- For use with scaffolding or pump jacks
- Base clamps to aluminum or wood plank
- Guardrail posts use regular 2x4's
- Powder coated safety yellow



X-Warning Line System #21000

- Quick set up and take down
- Secure with jobsite materials
- Creates safety perimeters on commercial roofs
- Useful for ground applications as well
- 42" Posts for high visibility, grommet at 39"
- Set of four includes 130' of warning flags
- Complies with OSHA regulations
- Powder coated safety yellow




Ladder Hook #11082 **ONLY NEED ONE PER LADDER**

- A must have for safety
- Reinforced rod around the hook adds strength and durability
- Caster makes it easy to roll on the roof
- Fits D-rung and round rung ladders
- The only ladder hook on the market that can swivel
- Angles across roof contours
- 300 lb. Capacity
- Powder coated safety yellow



Ladder Stand Off #11710

- All-steel construction requires no additional hardware
- Keeps ladder away from gutters and buildings
- Enables working in corners
- Supports ladder against wall or roof line
- Creates extra stability from weight on the ladder
- 3 positions available: On the corner, under the eave & even directly on the roof
- Rubber Bumpers to protect surfaces
- Adjusts to: In 22" Out 29" width 34"
- Powder coated safety yellow



Ladder Scoop #11800

- Useful for many roofing and general household maintenance applications
- Functions as a non-slip paint can holder
- Holds shingles or siding
- Works with any ladder



CHICKEN LADDERS, HOISTING WHEELS AND WHEEL BARROWS

Chicken Ladder #11601 and Hook #11610


Special Features of ACRO's Chicken Ladders

- Allows you to attach each ladder section with a 1½" bolt and reversible lock nut for added safety
- Add 6" extensions for up to 24' in length (part 11601)
- Raised solid steel rungs are hand-welded
- 10" hook has ½" reinforcement rod (part 11610)
- Wheel on hook prevents damage and eases positioning by just rolling ladder up roof and flipping it over
- Perfect safety tool for quick on and off jobs
- 250 lbs Capacity



Ridge Vent Hook #11611


- New Design Contractor Need Driven
- Wont crush Roof Ridge Vents



Hoisting Wheel with Hook #79005

Long Ladder Hoisting Wheel #79000

- Features a 12" aluminum wheel and a sturdy steel frame
- Accommodates both ¾" and 1" manila rope
- Add our pigtail hook (70000) to the end of a rope for safe and convenient connections with one of our 5 or 7 gallon buckets
- Offers great flexibility and safety when loading equipment to a roof top



Welded Steel Wheelbarrow #70006

- 6 cubic foot capacity
- Two wheel design prevents tipping and reduces operator fatigue
- Wheels are positioned under load for balance and easy handling
- Tubular guard protects the tray when dumping
- Rounded front plate will not damage a roof and minimizes kick back when dumping
- Available with pneumatic or flat-free tires



ASPHALT TOOLS & PUMP JACKS

5 Gallon Carry Mop Bucket #75000

7 Gallon Carry Mop #77000

13 Gallon Carry Mop #71300

- Heavy duty, long lasting 16 gauge steel construction with welded handle



Bucket Bail #80000



Hot Dipper #70900



Kettle Skimmer #70026

- 10" x 12" x 1/2" with a 40" or 72" handle



13 Gallon Mop Carts #73000, 73001, and 73300

- Heavy gauge steel construction
- Rolled bucket rim reduces mop drag over the top edges to aid in longevity of mops
- Steel Wheels #73000
- Rubber Wheels #73001



Pour Can #74000

- Holds 4 gallons of liquid
- 4" nozzle in horizontal or vertical position for narrow strip pouring



Universal Brace #10110

- For bracing wood poles constructed in accordance with operating instructions.



Pump Jack #10100

Body weight does the work! Pump jack operates on your "upright" (post unit) made of two straight 2x4's. System will allow adjustment to a variety of corners, angles, and placements up to 30' in height and creates a 24" standing platform with guardrail and workbench



Guardrail #10120

- Allows you to attach two 2 x 4s for a strong, safe guardrail. Provides 20" of work space (works with or without the work bench).



Work Bench #10130

- Cut work time with a work bench right on the scaffold. Can be attached to a guardrail or pump jack.




Pole Anchor #10135

- Attaches to bottom of pump jack pole to secure pump jack



Welded and Cast Iron Wall Jacks

- #10155 Steel Walking Jack
- #10150 Cast Iron Wall Jack




Made in the USA

www.acrobbuildingsystems.com

LONG HANDLED TOOLS

Spud and Scraper Bars

- Removes gravel and slag
- Removes old roofing
- Quick change 3 1/2" and 7" pre-hardened blades
- Knob or D handles
- Easy to use 57" handle
- All welded steel for maximum strength



Hand Spudder #13400



Super Chopper

- Contractors: remove plaster, concrete, ice, and mud



Snow Rake



Spud Bar Handles and Blades

Model #	Blade Size	Handle
13090	3 1/2"	"D" Handle
13091	3 1/2"	Knob Handle
13092	7"	"D" Handle
13093	7"	Knob Handle
13095	3 1/2"	Blade Only
13096	7"	Blade Only
13400	Hand Spudder	1 1/2" or 2"
13401	1 1/2"	Blade Only
13402	2"	Blade Only

Super Choppers and Snow Rake

Model #	Description
94150	8" Super Chopper
94200	Snow Rake

Acro

POINT OF PURCHASE DISPLAY #91013

Distributors Can Show Acro's Most Popular Products". Ask Us How to Get The Display for Free. Gondola, Fixture, Color Graphics & Steep Slope Mock-up All included

Increase sales by calling today!



Why Contractors Worldwide Choose **ACRO BUILDING SYSTEMS**



offers unique features and superior construction across our entire line of products.

Roof Brackets

- We use welded steel for greater strength than the competition's riveted assembly, which will fail more quickly and mar roofs.
- Our 19" roof bracket is longer, providing more stability, safety, and strength.
- Our entire line of roof brackets features a square heeled bottom for easier removal.
- Our four position adjustable roof bracket handles a much wider range of roof pitches and is 4" wide for greater stability.



Guardrail Systems

- The original Residential Guardrail System (#12070 & 12075) installs & removes like roof brackets; and serves as fall protection complying with the more stringent 2011 OSHA regulations.
- Our parapet wall guardrail system adjusts from 4" to 24" – more widths than other systems.
- The unique universal guard rail system is capable of multiple applications including flat roofs, metal roofs, parapets, skylights, stairwells, and rake edges on steep pitch roofs.



Phone: 800-267-3807

Phone: 414-445-8787

Fax: 414-445-8792

E-mail:

info@AcroBuildingSystems.com



Made in the USA



www.AcroBuildingSystems.com